



ESCALATORS & MOVING WALKS

KLEEMANN Escalators and Moving Walks are versatile and suitable for use in all kinds of buildings, with tailor-made design alternatives that offer high rise, outdoor, heavy duty, high capacity and eco-friendly options for special projects. Remote Monitoring System further increase business opportunities, allowing for effortless building management.

KLEEMANN is the ideal choice for reliable, responsive, low-maintenance **Escalators and Moving Walks**

ESCALATORS





ESCALATORS

Escalators are the ideal solution for new installations in hotels, hospitals, public and commercial buildings.

KLEEMANN offers unique, tailor-made design services for commercial or heavy duty Escalators that feature exceptional ride quality, safety and energy efficiency.

With a wide range of options and customized solutions for projects of all shapes and size.

Tailor-made design for commercial or heavy-duty

Escalators that feature ride quality, safety, and energy

efficiency.



EASE OF INSTALLATION

Designed for ease of installation and use, providing spatial efficiency and reliability.

OUTSTANDING RID E QUALITY (>)

Low noise levels and minimal vibrations provide a smooth and comfortable passenger experience that will meet even the strictest requirements.

SAFETY

Solid products guarantee maximum safety and ensure a sense of passenger security.



SPECIFICATIONS



Model	KEC Commercial	KEH Heavy Duty	
Working hours (per day)	16-20	20-24	
Capacity*/hour * Theoretical value according to EN115-1:2017, Annex H	Up to 6000 passengers Up to 7300 passengers		
Inclination	30°/35°	30°/35°	
Step width (mm)	600 / 800 / 1000	600 / 800 / 1000	
Operating Speed (m/s)	0,5	0,5 or 0,65	
Vertical rise (m)	2-7,5	2-35	
Motor type AC1 or VVVF		AC1 or VVVF	
Installation	Indoor, Outdoor, Marine	Indoor, Outdoor, Marine	

MOVING WALKS






MOVING WALKS

Moving Walks are the ideal solution for new installations in hotels, hospitals, public and commercial buildings.

KLEEMANN offers unique, tailor-made design services forcommercial or heavy duty Moving Walks that featureexceptional ride quality, safety and energy efficiency.With a wide range of options and customized solutions forprojects of all shapes and sizes.

The ideal solution for new installations in hotels, hospitals, public and commercial buildings.





SPECIFICATIONS



Model	KTC Commercial	KTH Commercial	KTW Heavy Duty
Working hours (per day)	16-20	16-20	20-24
Capacity / hour (Theoretical value according to EN115- 1:2017, Annex H)	Up to 6000 passengers	Up to 6000 passengers	Up to 6000 passengers
Inclination	10° / 11° / 12°	10°/11°/12°	0°-6°/10°/11°/12°
Step width (mm)	800 / 1000	800 / 1000	1000/ 1200/ 1400
Horizontal movement (mm)	400 (at top)	400 (at both landings	
Operating Speed (m/s)	0,5	0,5	0,5
Vertical rise (m)	2-8	2-8	0-8 (max length 120)
Motor type	AC1 or VVVF	AC1 or VVVF	AC1 or VVVF
Installation	Indoor, semi- outdoor, outdoor	Indoor, semi- outdoor, outdoor	Indoor, semi- outdoor, outdoor



Thank you