



Modernization Electronics Kit



KLEEMANN

Your 1st Choice in Lifts



GENIUS20

MODERNIZATION SOLUTION GENIUS20

KLEEMANN Modernization offers you customized, reliable and compatible solutions. From full or partial modernization to components' replacement and special solutions, KLEEMANN Modernization upgrades the user's experience affecting both the aesthetic and the mechanical part of the elevator.

Improve your lift's safety, performance and reliability with KLEEMANN GENIUS20

- **VERSATILITY.** No need to change other parts. Genius20 is compatible with most machines and doors of the market*.
- **SAFETY.** Upgrade to all the newest Safety Standards.
- **ENERGY EFFICIENCY.** Genius20 with VVVF reduces your energy consumption compared to layout without inverter. To minimize your energy consumption combine it with our stand by mode and regeneration drive.
- **SMOOTH** and **PRECISE** ride. Genius20 offers you maximum comfort and an excellent ride quality.
- **ADVANCED CONNECTIVITY** with IoT solution (KLEEMANN Live)
- **COMPLETE** electronics kit. Renew your elevator with KLEEMANN Genius20.
- **FLEXIBILITY.** Genius20 solution for various MRL models.*



KLEEMANN also offers modernization solutions in order to upgrade hydraulic lifts that combine both:

- Energy Saving
- Excellent Ride Quality

Our team of experts can help you find the best solution to modernize your elevator.

* CONTACT US AT modernisation@kleemannlifts.com

KLEEMANN Genius20 Specs

Number Of Stops	2-48
Speed (m/s)	Up to 3.0
Traction Manufacturer Compatibility	with most motors of the market*
Type of Valve's Block	with most valves of the market*
Call's Automation	All Options
Lift Automation	All Options
Standard	All Options
Safety Standards	All Options
Number of COP (s)	Up to 2
Entrances Served	Up to 3
Car Door Compatibility	Automatic, Folding Bus
Short Flooring (mm)	300
Common DC	+ Positive
Voltage Of Button Panels (V)	24
Double Selective	Yes



Power Of Controller	Up To 55kw
Lift's Automation	All Options
Start-Up	All Options
Emergency Evacuation	All Options
Relevelling	All Options
Button Panels Direction Arrows	All Options
Fireman Service	All Options
Inverter Type	Zetadyn, STEP & Fuji Frenic LM2A



OPERATING PANELS

Refresh the aesthetics of your elevator



DKC
Surface Mounted
Dimensions
(W) 200 mm x (D) 24 mm (H) 1000 mm

HALO SC600
Surface Mounted
Dimensions
(W) 225 mm x (D) 14 mm (H) 1900 mm

AKC-BES
Flush Mounted
Dimensions
(W) 200 mm x (H) 1900 mm



AKL 001 AKL 002 AKL 101 AKL 003



AKL 102 AKL 005

Dimensions
(W) 85 mm x (H) 265 mm



AKL 241 AKL 242

Dimensions
(W) 210 mm x (H) 250 mm

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process. Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

OPERATING PANELS

Refresh the aesthetics of your elevator



FTL 101 Slim FTL 102 Slim

Dimensions
(W) 108 mm x (D) 10 mm x (H) 230 mm

FTL 001 Slim FTL 002 Slim

HALO SL631 DIMENSIONS WITH DISPLAY (W) 95 mm x (D) 14 mm x (H) 335 mm
HALO SL630 DIMENSIONS WITHOUT DISPLAY (W) 95 mm x (D) 14 mm x (H) 225 mm

INDICATORS & BUTTONS



FTHL Inox Slim
Dimensions
(W) 230 mm x (D) 10 mm x (H) 108 mm

HALO SH600
Dimensions
(W) 335 mm x (D) 14 mm x (H) 95 mm

Card reader

Secret code



MT-42
Dimensions
(W) 39 mm x (Y) 39 mm



RT-42 Antivandal
Dimensions
ø 30 mm



B37Q
Dimensions
(W) 37 mm x (H) 37 mm



B37R
Dimensions
ø 37 mm



H40Q
Dimensions
(W) 40 mm x (Y) 40 mm

AUTOMATIC / FOLDING DOORS

Comply with the latest safety standards



Central Full Glass



Bus FD320

MOTORS & POWER UNITS

Improve your riding quality



Geared



Gearless



kleemannlifts.com

KLEEMANN HELLAS SA
Kilkis Industrial Area
P.O. BOX 25, Kilkis, 611 00 - Greece
G.E.M.I. 14486435000

While every effort has been made to ensure the accuracy of the information in this brochure, KLEEMANN assumes no responsibility for omissions or typographical errors.

Copyright © KLEEMANN 2026



MIX
Paper from responsible sources
FSC® C122758

