KLEEMANN
Your 1st Choice in Lifts

Homelifts
Maison100 H & E
Maison200 H



KLEEMANN Maison range is an affordable and attractive solution that goes beyond your expectations for home mobility. Our reliable and comfortable home lifts feature premium ride quality, low energy consumption and easy installation for minimum disruption.

With dedicated service and a wide range of design selections, KLEEMANN lifts your experience and upgrades the interior and exterior of your most precious space.



Maison100
H & E

Maison 100 H

Safety and style with this value for money hydraulic home lift solution, with minimum space requirements

Type of lift > Hydraulic



Technical specifications

Model	Maison100 H
Rated load (Kg)	Up to 400
Max travel (m)	12
Max number of stops	5
Max speed (m/s)	0,15* - 0,30**
Min Pit depth (mm)	100* - 130**
Min Headroom (mm)	2400
Maximum car entrances	2
Power supply	Single phase or three phase
Complies with	* Machinery Directive 2006/42/EC ** AS1735.18



Recommended uses

Private residences
Low traffic buildings

Description & features

Ideal for comfort and ease, Maison100 H, is designed and manufactured according to Machinery Directive 2006/42/EC and meets any need for transportation and mobility. A value for money solution that provides access inside or outside a private residence or low storey public buildings and guarantees safety and style.

Value for money

Its very low energy consumption (lower than a kitchen oven) in conjunction with its exceptional performance, makes Maison100 H the ideal value for money choice. With 100mm minimum pit depth and 2400mm headroom required, it is perfectly suitable for buildings with or without concrete shaft and with shaft pit and headroom limitations.

Optimum use of space

The pit and headroom requirements are amongst the most competitive in the market for enclosed cabin platform lifts. Maison100 H offers optimum space efficiency by providing the opportunity of installing larger car in a standard shaft.

Plug n' play solution

Prewired shaft wiring and single-phase power supply.

Premium ride quality

Maison100 H offers a premium ride quality, with the new controller Genius20, with shaft copy system for precise floor levelling and a 2-speed hydraulic valve.



Maison 100 E

The innovative electric cabin platform lift, that makes best use of available space and is extremely energy efficient

Type of lift > Electric



Technical specifications

Model	Maison100 E
Rated load (Kg)	Up to 385
Max travel (m)	12
Max number of stops	5
Max speed (m/s)	0,15
Min Pit depth (mm)	100
Min Headroom (mm)	2500
Maximum car entrances	2
Power supply	Single phase
Complies with	Machinery Directive 2006/42/EC



Recommended uses

Private residences
Low traffic buildings

Description & features

Acknowledging the importance of space availability, KLEEMANN introduces Maison100 E, with 100mm minimum pit depth and 2500mm headroom required. Available with semi-automatic or automatic doors.

Modular Design

Cabin's modular design provides the possibility of different claddings for the surrounding walls while its minimalist design creates an outstanding ambience

Fast and easy installation

Smart and compact design for installation in much shorter time compared to other electric platform lifts.

Plug n' play solution

Prewired shaft wiring and single-phase power supply.

Low noise levels

Innovative electric drive (VVVF controlled) guarantees remarkably low noise levels in and out of the cabin.



Maison100 H & E are provided with a fully enclosed cabin. A panoramic version is also available with up to two glass walls. The ceiling is detachable, facilitating the maintenance procedure. Available in stainless steel, skinplate or paint finishing and with LED strip lighting, it creates an outstanding ambience inside the cabin.

with paint

Walls Paint Copper Swift
Ceiling Paint Copper Swift
Floor Rubber 6801
Handrail K3
Mirror Half height / Full width
COP DKC



Maison100
Design options
Cabin types

with skinplate

Walls Skinplate A90GTA
Ceiling Paint Abstract Light
Floor Rubber 6801
Handrail K3
Mirror Half height / Full width
COP DKC



with stainless steel

Walls Stainless Steel Satin
Ceiling Stainless Steel Satin
Floor Rubber 6768
Handrail K3
Mirror Half height / Full width
COP DKC



Maison100
Design options
Cabin types

panoramic

Walls Paint Liquid Pencil
Ceiling Paint Liquid Pencil
Floor Rubber 6801
Handrail K3
COP DKC




Wall finishes

Paint

Abstract Light


Aqua Dome



Copper Swift


Dark Variant


Deep Space


Eclectic Bronze


Fiction Gold


Flashy Warm


Geoform


Grey Flux


Grizo


Liquid Pencil


Pale Code


Radical Black


Reflex Grey


Silvertone


Stardust


Venus Orbit


Violetik

White Utopia

Light Cloud


Grey Gaze

Skylight White

Skinplate


PPS93

A90 GTA


F12PPS


PPS13

A67 SMA


B13


N19SA

Stainless Steel


Satin



Mirror

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.

Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

Floors


Rubbers



6727



6801



6768



MX19101

Vinyls


Light Cement



Timber Tone



Mosaicon



Oxytone Concrete



Concrete Vibe



Black Luxe

Floor recess is also available up to
12mm height and 30kg weight.

Handrail



K3





Maison200 H

Maison 200 H

A hydraulic homelift solution that offers a wide range of design options for a personalized experience

Type of lift > Hydraulic



Technical specifications

Model	Maison200 H
Rated load (Kg)	Up to 630
Max travel (m)	12
Max number of stops	6
Max speed (m/s)	0,15* - 0,30**
Min Pit depth (mm)	100* - 150**
Min Headroom (mm)	2450* - 2600**
Maximum car entrances	3 (under conditions)
Power supply	Single phase or three phase
Complies with	* Machinery Directive 2006/42/EC ** AS1735.18



Recommended uses

Private residences
Low traffic buildings

Description & features

Maison200 H is a hydraulic solution that offers an efficient use of space and can be easily adapted to any architectural need and design, even for special and challenging projects. Elegant and convenient allows the perfect fitting in any building, existing or new. Maison200 H guarantees outstanding ride quality and a wide selection of design options and finishes to meet your aesthetic needs.

Efficient use of space

Maison200 H maximizes the efficient use of space. Even though the dimensions of the shaft remain the same, Maison200 H can accommodate a larger car, maximizing the usable space.

Premium ride quality

Maison200 H features premium construction quality, low noise levels and minimal vibrations. This ensures a smooth and comfortable ride for passengers, enhancing the overall experience.

Customizable design options

Maison200 H offers a wide range of cabin types and interior materials. Whether you prefer a sleek and modern look or a more traditional aesthetic, Maison200 H can be tailored to suit your desired ambiance.



Maison200 H offers four different cabin types and a wide range of interior materials, providing you with options to match your preferred style and needs Whether you prefer a sleek and modern look or a more traditional aesthetic, you have the freedom to create a unique design by combining colors, materials and lighting.

A310

Walls HP Laminate AB387
Ceiling O10
Floor Artificial Granite Regal White
Handrail K2
Mirror Full height/ Full width
COP DKC



Maison200 H
Design options
Cabin types

L310

Walls Stainless Steel Linen
Ceiling O15
Floor Rubber 6801
Handrail K2
Mirror Half height / Full width
COP DKC



L320

Walls Skinplate F12PPS
Ceiling O55
Floor Rubber 6768
Handrail K3
Mirror Half height / Full width
COP AKC BES



Maison200 H
Design options
Cabin types

L330

Walls Paint Radical black
Ceiling O3
Floor Artificial Granite Regal White
Handrail K2
Mirror Half height / Full width
COP AKC BES



Wall finishes

Paint (available for L330)

Abstract Light


Aqua Dome



Copper Swift


Dark Variant


Deep Space


Eclectic Bronze


Fiction Gold



Flashy Warm


Geoform


Grey Flux


Grizo


Liquid Pencil


Pale Code


Radical Black


Reflex Grey


Silvertone


Stardust


Venus Orbit


Violetik

White Utopia

Light Cloud


Grey Gaze

Skylight White

Skinplate (available for L320)


PPS93


F12PPS

PPS13


A90 GTA


N19SA


A67 SMA



B13


Stainless Steel (available for L310)


Satin


Mirror


Linen



Checks


12LG



Gold Mirror


Gold Satin

Laminates (available for A310)


AB 387


AB 659



DU 8110


Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.


Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

Floors

Rubbers


6727


6801



6768


MX19101

Artificial Granites


Regal Beige



Regal Black


Regal Red



Regal White

Vinyls

Light Cement


Timber Tone


Mosaicon


Oxytone Concrete


Concrete Vibe


Black Luxe

Floor recess is also available up to
20mm height and 45kg weight

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.

Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

Handrails



K2

AVAILABLE FINISHES

Mirror
Gold Satin



K3

AVAILABLE FINISHES

Mirror

According to EN81-70

Ceilings

FINISHES

Satin
Mirror
Gold Mirror
Gold Satin
Paint



03



07




010



014



015



055



OLP1 (Led Panel)



Design options
Operating panels

Surface mounted



Car Operating Panel

FPY-800
(W) 800 mm x (D) 60 mm (H) 800 mm



Car Operating Panel

DKC DIMENSIONS
(W) 200 mm x (D) 24 mm (H) 1000 mm

AVAILABLE FINISHES
Satin

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.

Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

Characteristics

- Available with dot matrix or TFT display
- Compatible also with buttons B37R
- Out of order or Call activation key switch are available

Flush mounted



Landing Indicator

P95-902 DIMENSIONS
(W) 300 mm x (D) 35 mm x (H) 95 mm



Landing Operating Panel

AKL DIMENSIONS
(W) 85 mm x (H) 265 mm



Car Operating Panel

AKC BES DIMENSIONS
(W) 200 mm x (H) 1900 mm

Only available for Maison200 H

Characteristics

- Available also with Dot Matrix display
- Compatible also with buttons B37R, MT-42 and RT 42 antibacterial
- Stainless steel satin finishing as standard option (special upon request)
- Engrave in LOP as option



TFT Display





Dot Matrix Display



RT42

DIMENSIONS
ø 30 mm



B37R

DIMENSIONS
ø 30 mm



MT42

DIMENSIONS
(W) 39 mm x (Y) 39 mm



B37Q

DIMENSIONS
(W) 37 mm x (H) 37 mm



K37

DIMENSIONS
(W) 37 mm x (H) 37 mm

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.

Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

The standard landing operating panel includes button B37 and enter sign NT-32 which are placed directly on the door frame. The enter sign NT-32 is an economic standard option that can be used instead of the display. It is placed on the door frame over the call button and it lights up when the car is behind the door. Availavle for Maison100 H & E.



Door frame solution
with no display

AKL-31

AKL-32



NT-32

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.

Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.



Design options
Doors

Automatic doors



Standard



Big Vision

AVAILABLE FINISHES

All doors are available in the same finishes as those of the cabin

Semi-automatic doors



C310



C520



Blind

Colors may differ slightly from those shown in the brochure, owing to the limitations of the printing process.

Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

www.kleemannlifts.com

KLEEMANN has a worldwide presence in over 100 countries with local presence in key market points. Constantly monitoring the global market trends, the company continues to innovate, grow, develop, and improve while consistently remaining in tune with its global character.

KLEEMANN
Your 1st Choice in Lifts

KLEEMANN HELLAS SA
Kilkis Industrial Area
P.O. BOX 25, Kilkis, 611 00 - Greece
G.E.M.I. 14486435000

Colours may differ slightly from those shown in the brochure, owing to the limitations of the printing process. Pictures of the materials illustrate detailed part of each material and not its rendering on the cabin surface.

While every effort has been made to ensure information accuracy, KLEEMANN bears no responsibility for typographic errors or omissions.

Copyright © KLEEMANN 2026

products-homelifts-en-20261023